



360 NEON FLEX SINGLE COLOUR

Our 360 Degree LED Neon Flex is a flexible solution for neon-effect accent and interior lighting. This single colour option allows for more accurate colour rendering with in the white spectrum and reduces complexity of installation.

The 360 LED Neon Flex comes in 5m rolls as an inner and outer section. The inner section which contains the LED must be cut to length and terminated first, then it can be slid into the outer section that has been cut to the required length.


The 360 Neon Flex offers resistance to Flames, UV, Solvents, Acids, Alkali, Corrosive Gasses and Saltwater when used with silicone endcaps.

This product is available in a wide range of colour temperatures and colours so please contact us as MOQ and leadtime may apply.



Product Code	LSXFLXT25-xxxxx
Voltage	24V
Power Consumption	17W/m
LEDs per meter	126
Lumens	450-500Lm/m
IP Rating	IP67 when endcaps are used
CRI	>90
Cutting Resolution	55mm
Cross Section Diameter	25mm
Minimum Bend Radius	200mm
Roll Length	5m
Working Temperature	-40°C to 70°C
Certification	CE & RoHS

ACCESSORIES



LSFLXT25-TUBE
Polycarbonate tube




LSXFLXT25-MOCLIP
Used for surface mounting of
360 LED Neon Flex



LSFLXT25-VHANG
Vertical Hanging system

ASSEMBLY



Outer Diffuser

Inner Light Source

Exposed LED Source Showing Connections

EXAMPLES



CERTIFICATION

Complys with EN IEC 55015:2019/A11:2020, EN 61547:2009
Certificate number: UNIA21111719EC-11

Producers Register number: IE03184W